

# 410 EM (Commercial Emergency)



## Specifications

Length overall	13.50 m (44' 3")
Length of hull	12.50 m (41')
Beam	3.34 m (10' 11")
Draft (Full load)	0.69 m (2' 3")
Displacement (Full load)	11,500 kg (25,353.1 lbs)
Fuel Tank Capacity	1,000 l (264 US gal)
Diesel Tank Capacity	200 l (52.8 US gal)
Fresh Water Tank Capacity	200 l (52.8 US gal)
Carrying Capacity	1,200 kg (2,645.5 lbs)
Max. Person Capacity	12 Persons
Max. Engine hp Capacity	1,200 hp

## General : Standard Equipment (Included)

1. Hull and deck finished in white gel coat
2. Deck areas in non-slip GRP
3. Anchor locker with cushion
4. Close cabin, with aft GRP door and window
5. Helm seat with upholstery and stainless steel backrest
6. Sliding aluminum frame window at foredeck (Port & STBD) captain seat, fixed aluminum window at front & Aluminum frame cabin sliding Perspex windows
7. Aft deck, STBD side door for embarkation of passengers
8. Fresh water electric toilet (direct overboard) inside the cabin with sink, pullout shower, scupper in the floor drains to bilge, stainless steel hinges and hasps for all hatches with lock

## General : Standard Equipment (Included)

9. Cabin arrangement as per drawing with 3 nos. Stretcher
10. Aluminum fuel tank with fittings
11. Diesel tank with fittings
12. GRP water tank with fittings

## Standard Deck Fittings

13. Black fender with stainless steel insert
14. 8" x 10" stainless steel cleats (forward, midship & aft)
15. 1 x Stainless steel bow eye
16. 2 x Stainless steel ski eyes on the transom
17. Stainless steel handrails on the console, forward handrails & aft handrails low profile (Port & STBD)
18. 2 x Stainless steel roof handrails (Port & STBD)
19. Freefall water drainage (forward deck area)
20. Manual bilge pump on the aft area
21. Stainless steel mast
22. 3 x 16 mm x 20 m mooring rope
23. 3 x F3 Portable fenders with rope
24. 6 x Oxygen tank holders (location as per GA)
25. 3 x 2 kg Fire extinguisher dry powder

## Standard Helm & Electrical

26. Electric winch with 15 kg galvanized anchor 2.5 m GI chain and 50 m rope and stainless steel bow roler base
27. Navigation light (Port & STBD), mast head light, anchor light & stern light

# 410 EM (Commercial Emergency)



## Standard Helm & Electrical

- 28. 2 x Toilet lights
- 29. 8 x Cabin LED lights
- 30. 2 x Aft courtesy lights
- 31. 1 x Aft spreader light
- 32. 1 x Emergency light (bar type) in blue and red colour (to be fixed on the middle roof)
- 33. 2 x Bilge compartment light
- 34. 12v USB charger outlet on helm
- 35. Switchboard 12 v DC & Braker panel
- 36. Magnetic compass with 12 v light
- 37. Electric horn with single trumpet
- 38. 1 x Service battery with battery box
- 39. 2 x Long wipers with spray in windshields
- 40. 1 x 3700 GPH electric bilge pump in the aft with alarm system
- 41. 2 x 1500 GPH bilge pump (one midship & one bilge compartment)
- 42. 1 x Service battery with battery box
- 43. 3 x Engine batteries with box
- 44. 1 x Shore power system with 50' cable including socket
- 45. 1 x Garmin GPS map 923xsv with blue chart (gulf map) and IH transducer
- 46. 1 x Garmin VHF Radio 215i with antenna
- 47. 1 x AIS 800
- 48. 1 x Loud hailer with one speaker
- 49. 2 x 1800 BTU K2 marine air conditioner unit (self contained)
- 50. 1 x 8.5 KVA Fisher Panda marine generator with accessories

## Life Saving Equipment

- 51. 2 x Life raft (6 persons each)
- 52. 12 x Life jacket (adult)
- 53. 4 x Life ring with 15 m line
- 54. 1 x First aid kit
- 55. Ambulance boat sticker in red colour (Port & STBD) size & dimensions TBC & Cross (+) sign on the roof

## Options

- 101. Antifouling (colour as per client selection)
- 102. Hull band colour
- 103. Waterline painting (Colour as per client selection)
- 104. Remote control search light
- 105. Humphree trim tab without lighting
- 106. Bow thruster
- 107. 2 x Forward docking lights
- 108. 4 x Aft docking lights
- 109. 1 x Remote control search light
- 110. Power assisted hydraulic steering system (TBC based on engines)
- 111. 3 x Wooden shipping cradles
- 112. Shrink wrapping

# 410 EM (Commercial Emergency)



## Engine Options

2 x 350 hp Suzuki outboard motor (Dual propeller)

3 x 300 hp Suzuki outboard motor

**Delivery Time :** Four (4) months from date of order confirmation

**Payment Terms :** 60% advance, 20% on hull demould and 20% remaining before boat delivery

- \* Please note :-** Price are subject to change without prior notice
- Bahrain 10% exclusive on above prices
  - T & C's Apply
  - Delivery Ex-Factory

*Please be aware that export documentation charges will be applied for all export boats and the actual fees will be determined based on the total value of the boat.*